



DB60 Kit

5MP Video Doorbell Kit

DB60 delivers 5MP live monitoring experience with a 5M sensor. The 6200mAh battery ensures the doorbell last up to 6 months. DB60 is able to capture more details with the 164°fish eye lens. It supports night vision mode for clear-as day clarity even in pitch dark. With IP65 certified, the doorbell can be used outdoors under different weather conditions. Furthermore, it is equipped with a smart night light, which can be used to notify motion detections and scare away unwelcome visitors.

Bell is an indoor wireless ring that replaces mechanical or electronic bells. Connect to your home Wi-Fi and connect the doorbell at home. When the guest presses the call button on the doorbell, the bell will ring to remind you.

At the same time, it can be used as IMOU DB60 doorbell repeater



5MP Resolution



4:3 Aspect Ratio



Wi-Fi Connection



Two-Way Talk



Human Detection



Motion Detection



Intrusion Spotlight



Local Storage




100% Wire Free




IP65 Waterproof




Front View




Back View



Front View



Back View



Specifications DB60

Camera

5 Megapixel progressive CMOS
 5MP(2560 x 1920)
 Night Vision: 5m(16.5ft) distance2.0mm
 fixed lens
 Field of View: 164°

Video & Audio

Video Compression: H.265
 Audio Compression: AAC
 Up to 15fps Frame Rate
 Two-way Bidirectional TalkEcho
 cancellation

Notice Management

Call Notification
 Motion Detection
 Human Detection
 Configurable Detection Area

Network

Wi-Fi:IEEE802.11b/g/n,2.4GHz
 Imou life app:IOS,Android

Auxiliary Interface

Built-in Mic & SpeakerReset
 button
 Micro USB power port

General

AC12~24V, DC12/24V Power supply
 6200 mAh battery
 Power Consumption: <0.7A
 Surface mounted
 Working Environment:-20°C~+50°C, Less than 95%RH
 CE EMC,CE RED,CE LVD,FCC,FCC ID,IC,ICID



Specifications DS21

Audio

Built-in Speaker
Multiple Ringtones

Network

Wi-Fi: IEEE802.11b/g/n, 2.4GHz
imou app: iOS, Android

Auxiliary Interface

Reset Button
Pairing Button

Repeater function

DB60 repeater
Stable network environment


Fast network configuration

You can quickly configure DB60
after configuring bells

General

AC 90V~240V power supply, Wall-mounted Power plug
Power Consumption: <5W
Working Environment: -10°C~+50°C/14°F~122°F, Less than 95%RH
Dimension (without power plug): 95 × 52 × 28mm
Weight: 230g

What's in the box



Doorbell ×1



Mounting Bracket ×1



Angled Bracket ×1
(15° horizontally)



Angled Bracket ×1
(5° vertically)



Extension Wire
× 2



Charging Cable
×1



Chime ×1



Power Pin ×1



Quick Start Guide
×1



Terminal Screws
× 2



Pin ×1



15/64" Drill Bit ×1



Wire Nuts
×3



Mounting Screws
×4



Wall Anchors
×4



Mounting Screws
×4

